Podium Pros - Aluminum Motorized Accessible Lectern





Podium Pros Inc.

- +1 (705) 739-6745
- ☑ info@podiumpros.com
- 2 10-353 Saunders Rd, Barrie, ON, L4N 9A3

www.podiumpros.com

Podium Pros - Aluminum Motorized Accessible Lectern

Podium Pros' Aluminum Motorized Accessible Lectern offers a high quality, cutting-edge, ergonomic solution for modern presentations. Designed to provide ease of use and accessibility for all speakers making it the ideal choice for conferences, classrooms, and corporate settings.

Crafted from high-quality anodized aluminum and powder coated MDF, this sleek, durable lectern combines style, functionality, and flexibility with a fully adjustable motorized height feature and extra wide top and base which accommodates speakers requiring wheelchair accessibility. Height controls can be found in two locations - top right and right underside of the speaking surface. Making the adjustable feature accessible to any presenter.

The dual motors (located on the left and right interior) allow for a smooth height adjustment function with limitless stops within the range of travel. This can also be controlled remotely via bluetooth (up to 25' away) with the mobile app.

This lectern features 4 heavy duty casters (with two locking casters in the rear) added to the base for easy maneuverability, and a paper stop on the speaking surface to keep documents secure.

Organizations can customize this lectern to their presentation needs with optional add ons like custom signage, protective shrouds or roadcases, and AV components. As well as their choice of matte black or brushed aluminum frame finishing. **Specifications:**

Overall Dimensions	Raised: 40" L x 24" W x 40 "H Lowered: 40" L x 24" W x 27" H
Work Surface Dimensions	40″ L x 24″ W
Work Surface Height	Adjustable from 27" - 40"
Presenter Access	27.5″ W x 27″ - 40″ H
Shipping Weight	250lbs (including wooden crate and pallet)

Finish: Powder coated MDF top and base, constructed with aluminum anodized extrusions and four swivel castors with two locking in the rear.

Electro mechanical: Motor driven screw drive height adjustment with adjustable stops. Speed: up to 43 mm/s.

Motor: Gear reduction type, 18 V, max load 700 N, stroke length 13".

Linak DL4/DL4S Data Sheet:

https://cdn.linak.com/-/media/files/data-sheet-source/en/lifting-column-dl4s-dat a-sheet-eng.pdf

Included Accessories:

- Shock Mounts
- Reading light
- Cable management grommet

Available Options:

- Brushed aluminum or matte black finish on aluminum extrusions
- Custom Signage
- Gooseneck microphone
- Gooseneck microphone holder
- Protective lectern shroud
- Lectern travel road case



All content, including but not limited to text, images, and designs featured in this document are the exclusive property of Podium Pros Inc. Unauthorized use, reproduction, distribution, or modification of any material is strictly prohibited.